



J&K State Pollution Control Board

JAMMU/SRINAGAR

Sr.No. SPCS/71c/Hospital/98/5669-79

Date 29/08/2012

Consent Order (Schedule III)

Consent No. 1161 of 2012

Date: 29/8/2012

Consent to Establish (Fresh)

- I) under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974, as amended
- II) under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, as amended

Name of the unit holder with address: Dr. Bilal Ahmad Dar
R/o Frisal Kulgam .

CONSENT is granted to **M/s Al- Noor Hospital**
K.P Road near general bus satnd Anantnag.

Located in the area declared under the provisions of the Water Act / Air Act and subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:-

1. The Consent to Establish (Fresh) is granted for a period up to **One year** from the date of Issue.
2. The consent granted by the Board is restricted to Prevention and Control of Pollution only and shall not be treated as substitute of permission required under laws of the land.
3. Category of the unit as per UCM Guidelines: **Red.**
4. The Consent is valid for the establishment of health care establishment for treatment of indoor patients with capital investment (plant and machinery) of **Rs. 40.08 Laes**

S.No.	Facility	Maximum Quantity
1	Health care establishment (Indoor treatment facility)	15 beds (As per Project Report)

6. Conditions under Water Act:-

- (i) The daily quantity of trade effluent from the health care establishment shall not exceed the permissible quantity approved.
- (ii) The daily quantity of sewage effluent from the health care establishment shall not exceed the permissible quantity approved.
- (iii) The daily quantity of water consumption shall not exceed 01 KLD

Treatment : The applicant shall install a comprehensive treatment system consisting of Primary / Secondary and / or Tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards before disposal.

(1) pH	Between	6.0 and 8.5
(2) Suspended Solids	Not to exceed	100mg/L.
(3) BOD, 3 days, 27°C	Not to exceed	100mg/L.
(4) C.O.D.	Not to exceed	250mg/L.
(5) Oil & Grease	Not to exceed	10mg/L.
(6) T.D.S.	Not to exceed	--- mg/L.
(7) Other specific	Not to exceed	-- mg/L.

(iv) Trade Effluent Disposal Outlet Conditions :

The health care establishment owner must ensure the safe disposal of effluent by adopting the Pollution control measures and installation of required pollution control devices as per the Water (Prevention & Control of Pollution) Act, 1974 and amendments made thereafter.

(v) Sewage Treatment – The applicant shall provide comprehensive treatment system as is warranted with reference to effluent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards before disposal :-

pH	Between	5.5 and 8.5
Suspended Solids	Not to exceed	100mg/l.
B.O.D., 3 days, 27°C	Not to exceed	30 mg/l.

(vi) Sewage Disposal Outlet Conditions :

All the domestic waste water is collected in the Septic tank and soak pit

(vii) Non-hazardous solid waste (TPD./TPM): The non-hazardous solid waste should be handled and disposed as per the guidelines of Municipal Solid Waste Rules, 2000.

Type of waste	Quantity Treatment	Disposal
Bio medical waste	20 kg/day	BMWTF

The applicant shall install a comprehensive waters and air pollution control system consisting of control equipment as detailed below and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S.No:	Pollution Control Measures:
1	

Standards for emissions of air pollution as per MOEF notification under EP Act 1986:-

i.	SPM	Not to exceed	200 µg/Nm ³
ii.	SO ₂	Not to exceed	80 mg/Nm ³
iii.	NO ₂	Not to exceed	80 mg/Nm ³

The applicant shall observe the following fuel consumption.

Sl.No.	Type of fuel and consumption	Maximum Quantity day and month
1	Electricity	

7. Condition for Noise Pollution:

The health care establishment owner shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 55 db(A) during day time and 45 db(A) during night time. Daytime is reckoned in between 6am to 10pm and night time is 10pm to 6am.

8. Other Conditions :


- (a) The health care establishment owner shall ensure that no Air pollution problem or any nuisance is created in the area due to emitting of emissions from the unit.
- (b) The health care establishment shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height.
- (c) The health care establishment owner shall comply with any other condition laid down or directions issued in due course by the J & K State Pollution Control Board under the provisions of Air (Prevention and Control of Pollution) Act, 1981.

9. The applicant shall comply with the additional conditions as stipulated below :


- i. The Consent is valid for the Establishment of health care establishment only.
- ii. Pollution Control Devices (STP/ECD) as contemplated to achieve the quality of effluent/ emission at the time of operation within the tolerance limits prescribed, shall have to be operational during the course of production. The effluent / emission shall not contain constituents in excess of the tolerance limits as laid down by J & K State Pollution Control Board.
- iii. The health care establishment owner shall be liable to pay compensation in case any damage is caused to the environment.
- iv. The health care establishment owner shall abide by the directions of the Board which will be issued from time to time. Any infringement/violation or transgression of the statutory enactments of pollution control acts by the unit, shall be sufficient cause to prosecute the violator in conformity with relevant section of Air / Water Acts and Environment Protection Act in force.
- v. The health care establishment shall be under surveillance, monitoring of J. & K State Pollution-Control Board.
- vi. The health care establishment owner shall raise green belt of suitable plant species within the premises of unit.
- vii. The health care establishment owner shall provide adequate arrangement for fighting the accidental leakages/discharge of any air pollutant/gas/liquid from the vessel, machinery etc. which are likely to cause fire hazard including environmental pollution.
- viii. Good House keeping practices shall be adopted by the health care establishment owner.

- ix. It shall be the responsibility of the health care establishment owner to ensure that there are no complaints from the surrounding areas due to pollution caused by the health care establishment .
- x. The health care establishment owner should apply 60 days in advance for renewal of Consent before expiry the date of this Consent order.
- xi. The health care establishment owner will adopt proper system for disposal of waste water and bio medical waste.
- xii. The health care establishment owner shall place different receptacles with color coding for the collection of bio medical waste as per Bio medical waste (Management & Handling) rules.
- xiii. The health care establishment owner shall follow the Bio medical waste (Management & handling) Rules 1989 and amendments made thereof.
- xiv. The health care establishment owner shall not operate the health care establishment , until the Board issue consent to operate fresh.
- xv. In case of violation of the above mentioned conditions or any public complaint the consent shall be withdrawn.


Assistant Environmental Engineer


28/8/2012
Member Secretary

To


M/s Al- Noor Hospital
K.P Road near general bus satnd Anantnag.

Copy for information and necessary action to :-

1. The Regional Director PCB Kashmir.
2. The General Manager DIC Anantnag.
3. The District Officer PCB Anantnag.
4. Office file.

Government of Jammu & Kashmir
State Pollution Control Board
Sheikh- ul-Aalam Complex, Raj Bagh Srinagar.

AUTHORISATION (Renewal)

Authorisation No. 26/RD/K. of 2017

Dated 18/11/2017

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of Biomedical Waste).

1. File number of authorisation and date of issue. 26/RD/K. of 2017
2. M/s **Al Noor Hospital** an occupier or operator of the facility located at K.P Road Anantnag is hereby granted an authorisation for:-

ACTIVITY.

1. Generation, Segregation

2. Collection

3. Storage

3. M/s **Al Noor Hospital** an occupier or operator of the facility hereby authorized for handling of Biomedical waste as per the capacity given below:-

i)	Number of beds of HCF:	10
ii)	Number health care facilities covered by CBMWTF:	NA
iii)	Installed treatment and disposal capacity CBMWTF	NA
iv)	Area or distance covered by CBMWTF:	NA.

v) Quantity of Biomedical Waste handled, treated or disposed:


Type of Waste Category

Quantity permitted for Handling

Yellow	03 Kg /Day (Approx)
Red	03 Kg /Day (Approx)
White (Translucent)	350 gram approx /day
Blue	½ Kg / day

4. This authorisation shall be in force for a period of 03 Years from the date of issue.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Date 18/11/2017

Signature 

Place B/A


Designation Regional Director, PCB (Kashmir)


Terms and conditions of authorisation.

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules and there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. ~~The person authorized shall not rent, lend, sell, transfer other side transport the Biomedical waste without obtaining prior permission of the prescribed authority.~~
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms conditions may be stipulated by the prescribed authority.

No. SPCB/Rtd/ncac/BMD/Anj/04/65-67

Dated 18/11/2017


Scientist 'B'


Regional Director
Kashmir
State Pollution Control Board

Copy to:-

1. Director Health Services Jmr.
2. D.O, PCB. Anj.